

## Product description

The DVLED Mobile Height Adjustable Stand is designed to support most LED displays ranging from 130" to 136". Its versatile interface frame features adjustable width and height settings, while optional spacer kits and adapters are available to accommodate specific display models.

The mounting system is compatible with the majority of 130"–136" All-in-One displays and 5x5 cabinet-based DVLED video wall configurations, depending on the manufacturer. For added convenience, the stand includes large ergonomic handles on both sides of the display, making height adjustments and repositioning quick and effortless.

To ensure a smooth and successful installation, our Sales Support team is available to provide engineering guidance and technical assistance throughout the project.

The integrated BalanceBox system makes this solution particularly well suited for interactive touch applications on large-format displays. Users can easily adjust the screen height by simply moving the side handles, allowing comfortable access to every part of the display within seconds. Mounted directly on the mobile stand, the BalanceBox system has been fully tested and certified to meet rigorous safety standards.

| Article number                                                                                        | Product Description                                                             |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| 488A47001                                                                                             | DVLED Mobile Height Adjustable Stand for DVLED panels 90-130 kg / 198-286 lb.*  |
| 488A47002                                                                                             | DVLED Mobile Height Adjustable Stand for DVLED panels 125-153 kg / 275-336 lb.* |
| 488A47003                                                                                             | DVLED Mobile Height Adjustable Stand for DVLED panels 140-185 kg / 308-407 lb.* |
| *Calculate the combined weight of the DVLED panel and any accessories to determine the required model |                                                                                 |

## Specifications

### Materials and finish

- Frames and handle-bars: Aluminum black and clear anodized
- Brackets: Steel powder coated black RAL9005 textured

### Technical Specifications

- Panel size: DVLED Panel width between 2700 and 3300 mm / 106.3 and 129.9 in
- Vertical mounting point spacing: 800 to 1100 mm / 31.5 to 43.7 in
- Lay-out: Typical 5x5 array / All-in-One
- Travel: 650 mm / 25.6 in

### Features

- Height and width adjustable frame for maximum compatibility
- Compatible with most brands 130 to 136 in indoor DVLED panels (some with adapter or spacer sets)
- Step by step installation, quick, adaptable and easy
- Large handle for safe and easy operation
- Compatible with selected height adjustable BalanceBox mounts

### Certificates & Safety

- CE







US



EU



## General build-up



## Optional accessories


| Article number | Product description             |
|----------------|---------------------------------|
| 481B27         | Spacer set (20pcs) 15 mm M8x60  |
| 481B29         | Spacer set (20pcs) 35 mm M8-M10 |




US




EU



## Typical dimensions



A



B

C

Moves down by  
650 mm / 25.6"



Typical dimensions  
(depending on panel dimensions):  
A: 1939 mm / 76.3 in.  
B: 2590 mm / 102 in.  
C: 860 mm / 33.9 in.

Request engineering support (please specify panel brand and type number):

Europe: [contact@balanceboxmounts.com](mailto:contact@balanceboxmounts.com)

+31 (0)43 3516601

USA: [salesupportus@balanceboxmounts.com](mailto:salesupportus@balanceboxmounts.com)

+1 (678) 782-2076



EU



US

Downloads page here